

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	("6308205").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/24 18:57
L2	2	("6243747").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/24 19:03
L3	2	("20020124249").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/24 19:04
L4	1	("20060085821").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/24 19:06
L5	2	("20020046235").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/24 19:06
L6	2	("6252947").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/24 19:07
S1	1	("20030172141").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/07/21 10:41
S2	2	("0608205").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/12 14:05
S3	1	("6308205").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/12 14:27

EAST Search History

S4	18891182	(remote\$2 and configura\$4) and line near1 speed @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 14:07
S5	18890437	(remot\$4 and configura\$4).ti. and (line near1 speed))@ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 14:08
S6	0	(remot\$4 and configura\$4).ti. and (line near1 speed) and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 14:08
S7	4	(remot\$4 and configura\$4).ab. and (line near1 speed) and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 14:17
S8	768	(remot\$4 and configura\$4)and (line near1 speed) and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/15 18:28
S9	36	(remot\$4 near1 configura\$4)and (line near1 speed) and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 14:19
S10	31	(administr\$5 with remot\$4 near1 configura\$4)and (line near1 speed) and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 14:22
S11	54	(administr\$5 with configura\$4)and (line near1 speed) and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 14:24

EAST Search History

S12	391	((configura\$4 near4 type\$1)with speed) and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 14:25
S13	0	((configura\$4 near4 type\$1)with speed with remot\$4) and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/21 11:30
S14	0	((configura\$4 near4 type\$1)with defin\$4 near2 speed) and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 14:26
S15	0	((configura\$4 near4 type\$1)with identif\$4 near2 speed) and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 14:26
S16	6198	(remote and configure and bandwidth) and @ad<="20020228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 14:28
S17	16	(remote and configure and bandwidth).ab. and @ad<="20020228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 14:29
S18	15	(remote and configure and speed).ab. and @ad<="20020228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 14:36
S19	0	(configure with line near1 speed).ab. and @ad<="20020228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 14:37

EAST Search History

S20	8	(configure with line near1 speed) and @ad<="20020228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 14:37
S21	210	(configur\$5 with line near1 speed) and @ad<="20020228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 15:01
S22	16	(configur\$5 with line near1 speed). ab. and @ad<="20020228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/12 14:37
S23	0	("22030144983").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/12 15:01
S24	1	("20030144983").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/12 15:01
S25	1	("6308205").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/07/21 10:41
S26	159	(configurat\$3 with (automatical\$3 near2 updat\$3))and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/21 11:31
S27	0	(configurat\$3 with (automatical\$3 near3 identify\$3 near2 updat\$3))and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/21 11:31
S28	0	(configurat\$3 with (automatical\$3 near3 identify\$3 near4 updat\$3))and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/21 11:31

EAST Search History

S29	51	"709"/\$.ccls. and (configurat\$3 with (automatical\$3 near2 updat\$3))and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/21 11:32
S30	485	"709"/\$.ccls. and (configurat\$3 and (automatical\$3 near2 updat\$3))and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/21 11:32
S31	18906269	"709"/\$.ccls. and (configurat\$3 and (automatical\$3 near2 updat\$3)).ab.and" @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/21 11:33
S32	2	"709"/\$.ccls. and (configurat\$3 and (automatical\$3 near2 updat\$3)).ab. and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/21 11:35
S33	0	"709"/\$.ccls. and (configurat\$3 and (automatical\$3 near2 assing\$3)).ab. and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/21 11:35
S34	0	"709"/\$.ccls. and (configurat\$3 and (automatical\$3 near2 assing\$3))and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/21 11:35
S35	0	(configurat\$3 and (automatical\$3 near2 assing\$3))and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/21 11:35
S36	0	(configurat\$3 with (automatical\$3 with assing\$3))and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/21 11:36

EAST Search History

S37	122	(configurat\$3 with (automatical\$3 with assign\$3))and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/21 11:36
S38	12	(configurat\$3 with (automatical\$3 with assign\$3)).ab. and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/21 11:38
S39	122	(configurat\$3 with (automatical\$3 with assign\$3)) and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/21 11:38
S40	1	(configurat\$3 with (automatical\$3 with assign\$3 with updated)) and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/12 15:38
S41	1	((configurat\$3 near1 parameters) with (automatical\$3 with assign\$3)) and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/21 16:29
S42	1	("6748436").PN.	USPAT; USOCR	OR	OFF	2006/07/21 16:33
S43	1	("6868444").PN.	USPAT; USOCR	OR	OFF	2006/07/21 16:37
S44	98	(configura\$5 with bandwidth with speed) and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/22 16:08
S45	5	(configura\$5 with bandwidth with speed).ab. and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/21 16:37

EAST Search History

S46	2	("6308205").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/12 14:21
S47	2	("5428748").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/12 14:21
S48	2210	(configur\$ with remot\$3).ab. and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/12 15:38
S49	97	"709"/\$.ccls. and (configur\$ with remot\$3).ab. and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/12 15:39
S50	1135	"709"/\$.ccls. and (configur\$ with remot\$3 updat\$3).ab. and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/12 15:39
S51	1	"709"/\$.ccls. and (configur\$ with remot\$3 with updat\$3).ab. and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/12 15:39
S52	22	"709"/\$.ccls. and (configur\$ and remot\$3 and updat\$3).ab. and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/12 15:40
S53	0	"709"/\$.ccls. and (configur\$ and remot\$3 and updat\$3).ti. and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/12 15:40

EAST Search History

S54	24	"709"/\$.ccls. and (configur\$ and remot\$3).ti. and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/12 16:04
S55	0	"709"/\$.ccls. and (configur\$ adj1 server and remote\$1).ti. and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/12 15:44
S56	0	"709"/\$.ccls. and (configur\$ adj1 server and remote\$1).ab. and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/12 15:44
S57	3	"709"/\$.ccls. and (configur\$4 adj2 server\$1 and remote\$1).ab. and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/12 15:48
S58	0	"709"/\$.ccls. and (configur\$4 near3 updat\$3 and remote\$1).ab. and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/12 15:48
S59	96	"709"/\$.ccls. and (configur\$4 and remote\$1).ab. and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/12 16:04
S60	2	("6243747").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/12 16:04
S61	199	"709"/\$.ccls. and (configur\$4 with speed) and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/12 16:05

EAST Search History

S62	6	"709"/\$.ccls. and (configur\$4 with speed).ab. and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/12 16:06
S63	1	"709"/\$.ccls. and (configur\$4 with control\$3 adj2 speed) and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/12 16:06
S64	11	"709"/\$.ccls. and (configur\$4 with control\$3 adj4 speed) and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/12 16:46
S65	2	("6,223,218").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/12 16:36
S66	78	"709"/\$.ccls. and (forward\$3 adj4 configura\$4) and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/12 16:47
S67	2	("6243747").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/15 18:12
S68	2	("6223218").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/15 18:12
S69	75	(template with configur\$4 with control\$1) and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/15 18:29

EAST Search History

S70	11	remote\$3 same (template with configur\$4 with control\$1) and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/15 18:40
S71	14	remote\$3 same (template with configur\$4 same control\$1) and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/15 18:42
S72	2	(remote\$3 with configur\$4 with template) and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/15 18:44
S73	26	(remote\$3 same configur\$4 with template) and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/15 18:45
S74	1	(remote\$3 same configur\$4 with template).ab. and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/15 18:47
S75	2	configur\$4.ab. and (remote\$3 same configur\$4 with template) and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/15 18:48
S76	6	(configur\$4 and remote\$3).ab. and (configur\$4 with template) and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/15 18:59
S77	4	("7103904").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/15 19:03

EAST Search History

S78	2	("6957186").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/15 19:03
S79	2	("6308205").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/22 14:02
S80	2	("5428748").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/22 14:03
S81	2	("6538668").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/22 14:10
S82	2	("6466972").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/22 14:49
S83	2	("6308205").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/22 14:49
S84	73	(remote\$3 with configures with devices) and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/22 16:08
S85	2	(remote\$3 with configures with devices).ti. and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/22 16:10

EAST Search History

S86	2	(remote\$3 with configures with group\$1 near2 devices) and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/22 16:14
S87	3	(remote\$3 with configur\$3 with group\$1 near2 devices) and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/22 16:15
S88	101	(remote\$3 with configur\$3 with group\$1) and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/22 16:15
S89	12	(remote\$3 with configur\$3 with group\$1).ab. and @ad<="20000228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/22 17:37
S90	2	("20030046369").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/22 17:42
S91	2	("6885644").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/22 17:44
S92	4	("7002917").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/22 17:45